




## Toyota Corolla 2014-2016

### KIT FEATURES

- ISO DDIN radio provision
- Painted charcoal high gloss

### KIT COMPONENTS

- A) Radio housing • B) Radio brackets • C) (2) Panel clip mounts • D) (4) #4 x 3/8" Phillips screws



### TABLE OF CONTENTS

Dash Disassembly.....	2
Kit Assembly	
– ISO DDIN radio provision.....	3

### WIRING & ANTENNA CONNECTIONS (sold separately)

Wiring Harness: 70-1761

Antenna Adapter: 40-LX11

Steering Wheel Control Interface: ASWC-1

### TOOLS REQUIRED

- Panel removal tool • Phillips screwdriver
- 10mm socket wrench


**CAUTION!** All accessories, switches, climate controls panels, and especially air bag indicator lights must be connected before cycling the ignition. Also, do not remove the factory radio with the key in the on position, or while the vehicle is running.

## DASH DISASSEMBLY


1. Unclip and remove the entire panel around the radio from the instrument cluster to the passenger side of the dash including the clock and A/C vents. (Figure A)

**Note:** Start on the passenger side with the glove box open.

2. Remove (4) 10mm bolts securing the factory radio then unclip and remove. (Figure B)
3. Remove the (4) yellow panel clips from the factory radio.



(Figure A)




(Figure B)

*Continue to Kit Assembly*


## KIT ASSEMBLY

### ISO DDIN radio provision

1. Secure the *radio brackets* to the radio with the screws supplied with the radio. (Figure A)
2. Locate the factory wiring harness and antenna connector in the dash and complete all necessary connections to the radio. Metra recommends using the proper mating adapter from Metra and/or AXCESS. Test the radio for proper operation.
3. Secure the radio/bracket assembly into the dash with the factory hardware.
4. Attach the *panel clip mounts* onto the *radio housing* using the (4) #4 x 3/8" Phillips screws supplied. (Figure B)
5. Attach the clips previously removed from step 3 under dash disassembly, to the panel clip mounts on the radio housing.
6. Clip the *radio housing* over the radio/bracket assembly.
7. Reassemble the dash in reverse order of disassembly.



(Figure A)



(Figure B)



**95-8245CHG**  
INSTALLATION INSTRUCTIONS



**IMPORTANT**

*If you are having difficulties with the installation of this product, please call our Tech Support line at 1-800-253-TECH. Before doing so, look over the instructions a second time, and make sure the installation was performed exactly as the instructions are stated. Please have the vehicle apart and ready to perform troubleshooting steps before calling.*



**KNOWLEDGE IS POWER**

Enhance your installation and fabrication skills by enrolling in the most recognized and respected mobile electronics school in our industry. Log onto [www.installerinstitute.com](http://www.installerinstitute.com) or call 800-354-6782 for more information and take steps toward a better tomorrow.



**Metra recommends MECP  
certified technicians**